



الرقم : ش I/٢٠٢٤/١٠٠
التاريخ : ١٤ / ١٤٤٥ هـ / ١٤
: ٢٠٢٤ / ٣ / ١٥

السادة : المناقصون
الموضوع : توضيح المواصفات

تحية وبعد،،،

- الاشارة : الى العطاء رقم ش I/٢٠٢٤/١٠٠
(مستهلكات قسطرة الأشعة التداخلية)

- بالنسبة للمادة رقم (10) يرجى العلم بأن الطول (5-15 cm) عائد لطول الـ Balloon وحسب ما وردنا من
الجهة المعنية.

واقبلوا فائق الاحترام،،،،،

ع/العميد الطبيب
مدير عام الخدمات الطبية الملكية
مقدم صيدلاني علاء الدين أبو رمان

PP

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item No | Stock No | REQ QTY | UNIT | DESCRIPTION |
|---|------------|---------|------|---|
| CARDIOVASCULAR CATHETERIZATION DISPOSABLES | | | | |
| 1 | 20_10_0101 | 144 | EACH | CUFFED DUAL LUMEN CENTRAL VENOUS CATHETER, 6-8 FR, KINK RESISTANCE, POLYETHYLENE CATHETER , WITH FIXATION CUFF (DACRON OR EQUIVALENT). ACCEPTS EACH LUMEN AT LEAST 0.018 C. WIRE, KIT WITH CORRESPONDING PEEL AWAY SHEATH WIRE , DILATORS. TUNNELING STYLET |
| 2 | 20_10_0102 | 144 | EACH | DUAL LUMEN CATHETER SIZE (8-10) FR, (65-90) CM , VOLUME (0.8-1.8/0.6-1.8) ML LUMEN SIZE (OD/ID) 2.3/1.0-4.0/1.6 COMPLETE INSERTION KIT AND TUNNELED STYLE CONVENIENT PERCUTANUES INTRODUCER KITS INCLUDE INCHIATED KIT, SHEATH, INTRODUCER WITH VESSEL DILA OR , TUNNELER , DIPOSABLE SABIE SYRINGE , EXTRA THIN WALL NEEDLE, J GUIDE WIRE |
| 3 | 20_10_0103 | 144 | EACH | DUAL LUMEN CATHETER SIZE (10-12) FR, (65-90) CM , VOLUME (0.8-1.8/0.6-1.8) ML LUMEN SIZE (OD/ID) 2.3/1.0-4.0/1.6 COMPLETE INSERTION KIT AND TUNNELED STYLE CONVENIENT PERCUTANUES INTRODUCER KITS INCLUDE INCHIATED KIT, SHEATH, INTRODUCER WITH VESSEL DILATOR , TUNNELER , DIPOSABLE SABIE SYRINGE , EXTRA THIN-WALL NEEDLE, J GUIDE WIRE |
| 4 | 20_10_031 | 1680 | EACH | Cuffed long term dual lumen hemodialysis catheter,complete set with valved pellable introducer,dilators,kink resistance,(15-25) cm tip to cuff length, (9-16)FR |
| 5 | 20_10_0312 | 48 | EACH | Cuffed long term dual lumen hemodialysis catheter,complete set with valved pellable introducer,with dilator,kink resistance(26-52) cm tip to cuff length, (9-16)FR |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item No | STOCK NO | REQ QTY | UNIT | DESCRIPTION |
|---|-------------|---------|------|---|
| CARDIOVASCULAR CATHETERIZATION DISPOSABLES | | | | |
| 20_10_033 | | 192 | EACH | Cuffed long term dual lumen hemodialysis catheters 10-14 Fr , each lumen accepts at least 0.018 c wire , kink resistance , polyethelene or silicone , cuff to hub 5-8 cm , cuff dracon or eq. complete kit with hemostatic valved peelable introducer , with dilator and peelaway sheath or introducing wire kink resistance , poly ethelene catheter 40-60 cm tip to cuff length |
| 7 | 20_10_035 | 48 | EACH | Long term dual lumen hemodialysis catheter , split tip complete set with valved peelable introducer , 15-35 cm split catheter length, 10-16 fr (pre-assembled perm cath) |
| 8 | 20_10_1001 | 1320 | EACH | Percutaneous Nephrostomy Sets Including: Pigtail Drainage Catheter With Hydrophilic coating and Locking Mechanism, 18 G Nephrostomy Needle, Serial Dilator, Exchange Guide Wire, Chiba Needle, Connecting tube and metallic introducer over 0.035 wire, Catheter To Bag Connection, Sterile. SIZE (8-12) FR |
| 9 | 20_10_1003 | 192 | EACH | Pediatric Percutaneous Nephrostomy Sets Including: Pigtail Drainage Catheter With hydrophilic coating and Locking Mechanism, 18 G Nephrostomy Needle, Serial Dilator, Exchange Guide Wire, Chiba Needle, Connecting tube and metallic introducer over 0.035 wire, Catheter To Bag Connection, Sterile. Size Small, (6Fr). |
| CARDIOVASCULAR CATHETERIZATION DISPOSABLES | | | | |
| 10 | 20_10_1004 | 240 | EACH | P.C.N.L tract balloon dilation set. with stiff 30fr sheath , balloon 10mm , 8-15 cm |
| 11 | 20_10_10052 | 20 | EACH | N-Butyl cyanoacrylate or equivalent Tissue adhesive liquid ampule of 0.5-1ml for internal and intravascular use |
| 12 | 20_10_1006 | 120 | EACH | Nephrostomy Needle |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| ITEM NO | STOCK NO | REQ QTY | UNITS | DESCRIPTION |
|---------|-------------|---------|-------|---|
| 13 | 20_10_10081 | 192 | EACH | guide wire, super stiff, flexible and floppy tip 0.035'', 260-300 cm length |
| 14 | 20_10_1100 | 1200 | EACH | Micro puncture set To include 21G needle (0.014-0.018") introducer wire sheath dilates 3-5 FR. Flexible curved tip |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item NO | STOCK NO | REQ QTY | UNIT | DESCRIPTION |
|---|------------|---------|------|---|
| CARDIOVASCULAR CATHETERIZATION DISPOSABLES | | | | |
| | | | | Micro puncture set |
| 15 | 20_10_1101 | 120 | EACH | Micro puncture percutaneous access set facilitate placement of 0.0035" guide wire for non vascular procedures, (4-6 FR). with curved tip .018" guide wire |
| | | | | CATHETER PIGTAIL OPEN END WITH 8 SIDE HOLES ONE TO ONE TORQUE, BRAIDED |
| 16 | 20_10_124 | 1200 | EACH | 5F Size length (100-110)cm (straight) |
| | | | | Catheter, Angiographic (Polyethelene) Renal. |
| 17 | 20_10_1361 | 480 | EACH | Size 5.0 FG To Permit Guide Wire Size .(0.038"), Length (60-80cm), Fitting End M, Side Holes 0 |
| 18 | 20_10_1362 | 24 | EACH | Size 5.0 FG To Permit Guide Wire Size .(0.038"), Length (80-100cm), Fitting End M, Side Holes 0 |
| | | | | Pigtal High Flow Graded Catheter With 1.0 cm Clear Marker 10-20 cm Grading Length 5 Fr Accept 0.038 |
| | 20_10_1365 | 24 | EACH | |
| | | | | VERTEBRAL CURVE CATHETER RADIO-OPAQUE TIP |
| 20 | 20_10_1472 | 2400 | EACH | size 5.0 FR length 80-100cm accept 0.038" G.WIRE |
| | | | | VERTEBRAL CURVE CATHETER ,Diagnostic catheter |
| 21 | 20_10_1473 | 192 | EACH | size 4.0 FR length 80-100cm braided one to one torque accept 0.038" Guide WIRE, WITH RADIO OPAQUE TIP |
| | | | | 5French,1:1 Torque, Low Profile, Radio-Opaque, Tip Marker, accept Guide Wire 0.038" Length 90-100cm |
| 22 | 20_10_1674 | 48 | EACH | Catheters, Angiographic (Selective Catheters) Head Hunter, |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item NO | STOCK NO | REQ QTY | UNIT | DESCRIPTION |
|---|------------|---------|------|--|
| CARDIOVASCULAR CATHETERIZATION DISPOSABLES | | | | |
| 23 | 20_10_1675 | 12 | EACH | Catheters, Angiographic (Selective Catheters) Head Hunter. 4French, 1:1 Torque (>15ml/Sec) Radio- Opaque tip Permit Guide Wire 0.035", Length 90-100cm. |
| 24 | 20_10_1676 | 24 | EACH | Catheters, Angiographic (Selective Catheters) Simmons I, Sterile. 5French, Low profile, 1:1 Torque, , Radio- Opaque tip, Permit G.Wire 0.038", No Side Holes, Length 90-100cm. |
| 25 | 20_10_1677 | 192 | EACH | Catheters, Angiographic (Selective Catheters) Simmons II &/ or III, Sterile. 5French, Low profile, 1:1 Torque, , Radio- Opaque tip, Permit G.Wire 0.038", No Side Holes, Length 90-100cm. |
| | 20_10_1678 | 24 | EACH | Catheters, Angiographic (Selective Catheters) Cobra . 5 French, Low profile, 1:1 Torque tip, Permit G.Wire 0.038", No Side Holes, Length 90-100cm. |
| 27 | 20_10_1679 | 336 | EACH | URETHRAL ANGIOGRAPHIC CATHETER. 5FR. STRAIGHT. SINGLE HOLE OPEN END CATHETER LENGTH (70-80CM) |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item NO | STOCK NO | REQ QTY | UNIT | DESCRIPTION |
|---|------------|---------|------|---|
| 28 | 20_10_179 | 240 | EACH | Introducer sheath,4 Fr,kink resistance,hemostatic valve,with dilator,angled guide wire,length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle |
| 29 | 20_10_181 | 3840 | EACH | Introducer sheath,5 Fr,kink resistance,hemostatic valve,with dilator,angled guide wire,length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle 5F ACCEPT 0.035" WIRE |
| 30 | 20_10_1811 | 1200 | EACH | Introducer sheath,6 Fr,kink resistance,hemostatic valve,with dilator,angled guide wire,length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle |
| 31 | 20_10_1822 | 240 | EACH | Introducer sheath,7 Fr,kink resistance,hemostatic valve,with dilator,angled guide wire,length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle |
| 32 | 20_10_1841 | 360 | EACH | Introducer sheath,8 Fr,kink resistance,hemostatic valve,with dilator,angled guide wire,length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle |
| 33 | 20_10_1882 | 30 | EACH | Introducer sheath,9 Fr,kink resistance,hemostatic valve,with dilator,angled guide wire,length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle |
| CARDIOVASCULAR CATHETERIZATION DISPOSABLES | | | | |
| 34 | 20_10_191 | 3600 | EACH | Connection Tube For Drainage Catheter To Bag, Sterile. 20-30cm Long With Stopcock male luer lock fitting and plastic female luer lock |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item NO | STOCK NO | REQ QTY | UNIT | DESCRIPTION |
|---|------------|---------|------|--|
| 35 | 20_10_1921 | 1440 | EACH | Pressure injector to catheter connection tube, metal male luer-lock fitting and metal female luer-lock, accept pressure 1200 PSI, not less than 1.7 mm, (80-150) cm. |
| CARDIOVASCULAR CATHETERIZATION DISPOSABLES | | | | |
| 36 | 20_10_195 | 480 | EACH | 6F CROSS OVER DILATOR AND SHEATH SET (40-65) cm |
| 37 | 20_10_200 | 48 | EACH | LONG DILATOR AND SHEATH, WITH HEMOSTATASIS VALVE Radio- Opaque Tip (Tip Marker) (10-12)FR Sheath&dilator (15-50) cm |
| 38 | 20_10_2000 | 50 | EACH | HYDROPHILIC NATURALLY OCCURING BIOPOLYMER POLYPROLATE ACETATE FOR PRESSURE APPLIED DRESSING FOR HEMOSTASIS AFTER CATHETERIZATION |
| 39 | 20_10_224 | 2500 | EACH | (GLIDE WIRE) HYDROPHILIC POLYMER -COATED WIRE 0.035" Size 180 length straight |
| 40 | 20_10_225 | 24 | EACH | (GUIDE WIRE) HYDROPHILIC POLYMER -COATED WIRE 0.035" Size 260 length straight |
| 41 | 20_10_226 | 4800 | EACH | (GLIDE WIRE) HYDROPHILIC POLYMER -COATED WIRE 0.035" Size 180 cm length J TIP |
| 42 | 20_10_2281 | 100 | EACH | Hydrophilic wire Angled tip ,45-90 stiff, 180-200cm, with torque |
| 43 | 20_10_2282 | 80 | EACH | Hydrophilic guide wire straight tip , stiff 0.035",size 180 cm length |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item NO | STOCK NO | REQ QTY | UNIT | DESCRIPTION |
|---|-------------|---------|------|--|
| CARDIOVASCULAR CATHETERIZATION DISPOSABLES | | | | |
| 44 | 20_10_322 | 40 | EACH | Hydrophilic guide wire STRAIGHT shaft 0.035" with distal sigment tapers to 0.18, length 180cm, with torque device |
| 45 | 20_10_498 | 24 | EACH | INTRODUCER SET HYDROPHILIC SYSTEM WITH SIDE ARM VALVE DILATOR LENGTH 31CM. AND INTRODUCER SHEATH LENGTH 23CM 7F french. Size |
| 46 | 20_10_5051 | 960 | EACH | Plug- In Y-Adaptor 2 ways, adapting proximal end of catheter , with side arm tube Y-Shape adaptor |
| 47 | 20_10_511 | 30 | EACH | 1 ml luer lock syringe for precision injection of embolic liquid and for filling of remodelling ballon , glass material |
| 48 | 20_10_55193 | 480 | EACH | Platinum embolization coil ,controled detachable,radio -opaque ,(2-40mm) diameter,(2-40cm) length, delivery catheter size 0.035" |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item NO | STOCK NO | REQ QTY | UNIT | DESCRIPTION |
|---------|------------|---------|------|--|
| 49 | 20_10_576 | 20 | EACH | Snare retrieval set, multiple loop, (2-8mm) diameter, (175-200cm) length, catheter size (2-4) Fr |
| 50 | 20_10_5761 | 24 | EACH | Snare retrieval set, multiple loop, (5-35mm) diameter, (65-150cm) length, catheter size (4-5) Fr |
| | 20_10_5762 | 120 | EACH | Snare retrieval set, multiple loop, (5-35mm) diameter, (65-150cm) length, catheter size 6 Fr |
| 52 | 20_10_5763 | 10 | EACH | Retrieval device kit toothed forceps |
| | | | | Intravascular ultrasound, over 0.014"-0.035" guide wire, catheter length 90-150cm, sheath size 6fr and less |
| 53 | 20_10_7731 | 30 | EACH | |
| | | | | Biliary PTC System With Locking Pigtail Kit, Radioopaque Marker at Proximal Hole, Sterile. |
| 54 | 20_10_803 | 48 | EACH | Size 10-11 Fr, Length 30-50cm |
| | | | | Biliary VTC System With Locking Pigtail Kit, Radioopaque Marker at Proximal Hole, Sterile. |
| 55 | 20_10_8031 | 288 | EACH | Size 8-9 F, Length 30-50cm |
| | | | | Catheter, Drainage All Purpose Set With Stiffening Cannula Trocar needle Stylet With Slippery Coat, Locking Mechanism & Pigtail, Sterile |
| 56 | 20_10_812 | 144 | EACH | Size 8 FG, trocar stylet with puncturing needle, hydrophilic coating, radio-opaque marker at drainage loop, self locking mechanism. |
| 57 | 20_10_813 | 1152 | EACH | Size 10 FG, trocar stylet with puncturing needle, hydrophilic coating, radio-opaque marker at drainage loop, self locking mechanism. |
| 58 | 20_10_814 | 1440 | EACH | Size 12 FG, trocar stylet with puncturing needle, hydrophilic coating, radio-opaque marker at drainage loop, self locking mechanism. |

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item No | Stock No | REQ QTY | UNIT | DESCRIPTION |
|---------------------------------------|------------|---------|------|--|
| CORONARY ANGIOGRAPHY CATHETERS | | | | |
| 59 | 20_10_8601 | 96 | EACH | Inferior Vena Cava Filter, MRI compatible, catheter carrier system (5-10)Fr, convertable or readjustable, femoral or/and jugular approach indicated caval diameter 28-32mm |
| | 20_10_863 | 1200 | EACH | Manipulation catheter, 5-6Fr, radio-opaque tip, 40-65cm length, adapt 0.035" guide wire |

CARDIOVASCULAR CATHETERIZATION DISPOSABLES

| | | | | |
|----|------------|------|------|---|
| 61 | 20_10_8651 | 2400 | EACH | <p>Angiography Drapes pack:</p> <ol style="list-style-type: none"> 1. Angiography Drapes, 250*350 cm, full absorbent reinforcement/adhesive circular fenestration with transparent edges (plastic edges) (1) 2. Fluoroscopy cover 90*90 cm (2) 3. Back table cover 150*200 cm, zone reinforced 80* 200 cm (folded) (1) 4. Sterilization wrap 100*100 cm (1) 5. Back table cover 150*200 cm, zone reinforced 80* 200 cm (1) 6. Gallipot 2*250 ml /1*2000 ml (for guide wire)/1*500 ml 7. Surgical reinforced gowns xl (2) 8. Nylon cover for shield protection (100*120) cm rectangular (1) 9. Absorbent towel 30*40 cm (4) 10. syringes luer lock 20 cc (2) 11. syringes luer lock 10 cc (2) 12. Sponge stick (1) 13. Gauze sponge 4"*4" , 12 ply (50) 14. Medication label (1) 15. Sponge clamp plastic |
|----|------------|------|------|---|

CORONARY ANGIOGRAPHY CATHETERS

| | | | | |
|----|-----------|------|------|---|
| 62 | 20_10_867 | 8000 | EACH | <p>Probe Ultra Sound Transducer Cover, Sterile</p> <p>.Size 14x147 CM</p> |
|----|-----------|------|------|---|

| | | | | |
|----|-----------|----|------|--|
| 63 | 20_10_888 | 50 | EACH | <p>Needle, Chiba, Sterile.</p> <p>Size 10-25G, With Transparent Tube, Length 10-25cm</p> |
|----|-----------|----|------|--|

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخلية

TENDER NO P100-2024-I

| Item NO | STOCK NO | REQ QTY | UNIT | DESCRIPTION |
|--------------------------------|-------------|---------|------|--|
| 64 | 20_10_89111 | 10 EACH | | Intracranial venus ballon to be used in intracranial sinus ,compatable with DMSO,diameter (8-16)mm,length (60-140) cm |
| 65 | 20_10_900 | 12 EACH | | Endoprosthesis stent for peripehral used,diameter (4-15)mm ,stent length(10-90)mm length |
| CORONARY ANGIOGRAPHY CATHETERS | | | | |
| 66 | 20_10_9161 | 24 EACH | | RADIO FREQUENCY NEEDLE FOR ABLATION OF BONE TUMORS, 13-18guage, 15-20 CM LENGTH UNIPOLAR WITH,CONNECT TO 3000 WATT GENERATOR.WITH ADS. |
| 67 | 20_10_9174 | 12 EACH | | Radiofrequency needle for ablation thyroid nodules, (1-20)mm, (1-20) cm length connect to 3000 generator with pads |
| 68 | 20_10_9868 | 40 EACH | | Microspheres Well- Calibrated,size>900um |

الشروط الخاصة التسلسل

- 1 - All goods are to be freshly prepared on dispatch/delivered & should have at least 2/3 its shelf life upon receipt . Any item carrying less than 2/3 of its shelf life upon receipt should be accompanied with a confirmation that you accept to replace any remaining unused quantities at your expenses after the expiry date. Said confirmation is subject to the approval of the director of the Royal Medical Services and will incur a fine ,which will be decided later by DRMS according to the loss that this discrepancy with terms of the tender has caused.
- 2 - Description of goods ,expiry date ,lot number as well as manufacturing date must be mentioned clearly on the inner & outer packs.
- 3 - RMS has the right to exchange any size of the awarded items with any other size such as exchange should be effected within(24 hours) after a written request from RMS
- 4 - All goods should be FDA or CE approved
- 5 - Goods should be delivered under the same storage conditions that comply with their nature,storage conditions must be mentioned clearly on all documents.
- 6 - RMS has the right to increase the awarded items by 35% with the same prices and terms.and conditions.
- 7 - Pricing must include services of sale, shipment, transportation, and delivery From. port to main medical store.
- 8 - Delivery: In two equal consignments (8-9) months,allowing partial delivery,first consignment to be within one month from final order

بسم الله الرحمن الرحيم

القيادة العامة للقوات المسلحة الاردنية

مديرية الخدمات الطبية الملكية

التزويد

صفحة رقم 2 - 3

الشروط الخاصة للعطاء رقم P100-2024-I مستهلكات قسطرة الاشعة التداخية

الشروط الخاصة التسلسل

- 9 - Quoted items should be previously approved by DRMS.
- 10 - Samples of the items must be submitted along with the offers, showing the same serial No./item No. as per our tender documents specifications.
- 11 - Custom clearance of goods shall be the responsibility of the Jordanian armed forces(JAF)however, suppliers shall bear all costs incurred by handling charges and any demurrage charges or extra expenses incurred by the ports corporation (including expenses caused by delay in presenting the necessary documents for either clearing or transporting the goods to the required location mentioned in the final order ,delivery note issuing charges, unloading charges, local shipping charges etc).the supplier is also responsible for providing of all relevant shipping documents ,together with the delivery order(s).
- 12 - After arrival to jordan DRMS is not responsible for any handling charges for goods(like charges for issuing delivery order for incoming shipment unloading charges,local shipping agents charges
- 13 - All parcels,packages&any relative documents to me marked:
D.R.M.S Tender NO P100-2024-I G.H.Q Jordan Armed Forces
Amman-Jordan For Jordanian Armed Forces(EXCEPT for the goods that may be replaced with other sizes form the company)

بسم الله الرحمن الرحيم

القيادة العامة للقوات المسلحة الاردنية

مديرية الخدمات الطبية الملكية

التزويد

صفحة رقم 3 - 3

الشروط الخاصة للعطاء رقم P100-2024-1 مستهلكات قسطرة الاشعة التداخلية

التسلسل الشروط الخاصة

14 - In case of any worldwide problem or recall of any awarded item. the company is obliged to replace any remaing quantities with equivalent or better materials otherwise DRMS has the right to buy these materials from another sources and impose you the differences of prices and any penalties according to the rules and regulations of DRMS

15 - If new generation appears after the final order, it must be exchanged with the old generation without affecting the prices within (4 weeks) from recieving the written request from KHMC Supply department

16 - For offers submitted in Jordanian dinars payment will be either by wire transfer or by cheque to be paid after receiving goods; Any other way of payment will not be accepted and the offers will be rejected by the purchase committee.