

مديرية الخدمات الطبية الملكية



نظام المشتريات والعطاءات

2024/08/25

تاريخ إنشاء العطاء:

الصلاحية:

الوثيقة المالية:

طريقة الشراء:

P37-2024-C

Microbiology
Department

اسم العطاء:

وصف العطاء:

Item No	Stock No	Stock Name	Quantity	Unit
1	09_1_01_010	Acetone	1	Ltr
2	09_1_01_094	Ethyl Alcohol (Absolute Ethanol)	50	Ltr
3	09_1_01_106	Glycerol	1000	MI
4	09_1_01_108	Hydrochloric Acid (Concentrated 37.4%)	5	Ltr
5	09_1_01_110	Hydrogen Peroxide 30% soln.,	2.5	Ltr
6	09_1_01_118	Immersion Oil	10	Bott
7	09_1_01_132	Methanol Absolute ,	1	Ltr
8	09_1_01_154	P-Dimethyl Amino Benzaldehyde	0.5	Kg
9	09_5_05_090	Gram's stain ready to use	15	Kit
10	09_5_05_091	ziehl Neelsen TB stain ready to use	8	Kit
11	09_7_01_002	Bacterial Ag Kit, Latex TEST	3	Kit
12	09_7_01_004	Brucella Agglutinating Sera : Bru. Melitensis	1	Vial
13	09_7_01_006	Brucella Agglutination Sera.: Bru. Abortus	1	Vial

Item No	Stock No	Stock Name	Quantity	Unit
14	09_7_01_007	CSF Latex Test N.Meningitidis, E.Coli	3	Kit
15	09_7_01_022	Colistin 10 Units	1000	Disc
16	09_7_01_032	Oxidase Test:	3000	Disc
17	09_7_01_034	Pneumo-Slindex Kit:	3	Kit
18	09_7_01_036	Salmonella -H- Agglutinating Sera: Both Phase1&2	1	Vial
19	09_7_01_038	Salmonella -H- Agglutinating Sera: S-A -Sera Vi	1	Vial
20	09_7_01_040	Salmonella -H- Agglutinating Sera: S-A -Sera A-H	1	Vial
21	09_7_01_042	Salmonella -H- Agglutinating Sera: S-A -Sera b-H.	1	Vial
22	09_7_01_044	Salmonella -H- Agglutinating Sera: S-A -Sera c-H.	1	Vial
23	09_7_01_048	Salmonella -H- Agglutinating Sera: S-A -Sera gm-H	1	Vial
24	09_7_01_056	Salmonella -O- Agglutinating Sera: C1- O	1	Vial
25	09_7_01_064	Salmo -O- Agglutinating Sera: Polyvalent A-G	1	Vial
26	09_7_01_066	Salmo -O- Agglutinating Sera: Polyvalent A-S	1	Vial
27	09_7_01_072	Shigella-Agglutinat Sera:Boydi Polyvalent(I)1-6	1	Vial
28	09_7_01_080	Shigella-Agglutinating Sera: Dysentery I	1	Vial
29	09_7_01_086	Shigella-Agglutin Sera:Flexneri Polyvalent 1-6x&Y	1	Vial
30	09_7_01_097	Shigella Monovalent Sera Shigella Sonnei Phase II	1	Vial
31	09_7_01_100	Antisera for vibro cholerae ogawa	1	Vial
32	09_7_01_101	Antisera for vibro cholerae Inaba	1	Vial

Item No	Stock No	Stock Name	Quantity	Unit
33	09_7_01_102	Antisera for vibro cholerae polyvalent	1	Vial
34	09_7_01_103	Antisera for vibro cholerae O139	1	Vial
35	09_7_02_002	Amyl Alcohol. Analar.	5000	MI
36	09_7_02_018	Optochin 6mcg	1000	Disc
37	09_7_02_026	Staphurex, For Coagulase	2500	Test
38	09_7_02_034	X+V Factor Discs.	50	Test
39	09_7_03_001	Agar-Agar (Gum Agar)	500	Gm
40	09_7_03_004	Blood Agar Base No. 2	120	Kg
41	09_7_03_032	CLED Agar.	10	Kg
42	09_7_03_042	Columbia Agar.	50	Kg
43	09_7_03_052	Deoxycholate Citrate Agar.	13	Kg
44	09_7_03_071	Lowenstein Jensen Media Tubes	600	Tube
45	09_7_03_078	Mackonkey Agar.	10	Kg
46	09_7_03_084	Mannitol Salt Agar.	25	Kg
47	09_7_03_088	Muller Hinton Agar.	25	Kg
48	09_7_03_100	Nutrient Agar	25	Kg
49	09_7_03_106	Peptone Bacteriological	5	Kg
50	09_7_03_125	SS Agar	13	Kg
51	09_7_03_126	SIM Media.	12	Kg

P37-2024-C

اسم العطاء :

Microbiology Department

وصف العطاء :

Item No	Stock No	Stock Name	Quantity	Unit
52	09_7_03_128	Sabaeurad Dextrose Agar	15	Kg
53	09_7_03_132	Selenite Broth.	7	Kg
54	09_7_03_134	Simmons Citrate Agar.	12	Kg
55	09_7_03_138	TCBS Media, For Cholera.	0.5	Kg
56	09_7_03_142	Thioglycolate Broth With Resazurin.	15	Kg
57	09_7_03_158	Urea Agar Base for detection of urease -producing organisms with supplement, sterile urea solution, 40% w/v vial (5ml/vial).	1	Kg
58	09_7_03_174	TSI Agar	15	Kg
59	09_7_03_176	chromogenic Agar for Screening of MRSA	200	Gm
60	09_7_03_181	Tryptic Soy Agar	1	Kg
61	09_7_03_182	Defibrinated Sheep Blood	60000	MI
62	09_7_03_183	Chromogenic medium for detection and differentiation of major clinical candida species with suitable supplement if need	200	Gm
63	09_7_03_184	Chromogenic medium for isolation and differentiation of urinary tract pathogens with suitable supplement if need	200	Gm
64	09_7_03_185	Chromogenic medium for detection of Van A / Van B VRE. faecalis & VRE. faecium with suitable supplement if need	200	Gm
65	09_7_03_186	Chromogenic medium for detection and isolation of Carbapenemase- Resistant Enterobacteriaceae (CRE) with suitable supplement if need	200	Gm

Item No	Stock No	Stock Name	Quantity	Unit
66	09_7_03_187	Chromogenic medium for detection of colistin resistant Gram-negative bacteria with suitable supplement if need	200	Gm
67	09_7_04_006	lactophenol Cotton Blue Stain ready to use	1	Kit
68	09_7_04_016	Biological indicator for lab vertical steam autoclave	15	Kit
69	09_7_04_017	Odor removal tablets from all microbiology media and waste for lab vertical steam autoclave	3	Kit
70	09_7_05_002	Ampicillin 10µg	12000	Disc
71	09_7_05_012	Bacitracin : 0.04µg	100	Disc
72	09_7_05_015	Ceftriaxone 30 µg	12000	Disc
73	09_7_05_022	Erythromycin 15 µg	12000	Disc
74	09_7_05_026	Gentamycin 10 µg	12000	Disc
75	09_7_05_030	Lincomycin 10 µG	12000	Disc
76	09_7_05_032	Cefoxitin 30 µg	12000	Disc
77	09_7_05_036	Novobiocin 5 µg	150	Disc
78	09_7_05_039	Penicillin G, 10 µg	12000	Disc
79	09_7_05_045	Trimethoprim-sulfamethoxazole 1.25/23.75 µg	12000	Disc
80	09_7_05_058	Amoxicillin-clavulanic acid AUG 20/10 µg	12000	Disc
81	09_7_05_060	Aztreonam 30 µg	12000	Disc
82	09_7_05_068	Cefotaxime 30ug	12000	Disc
83	09_7_05_072	Ceftazidime 30 µg	12000	Disc

Item No	Stock No	Stock Name	Quantity	Unit
84	09_7_05_074	Cefuroxime 30 µg	12000	Disc
85	09_7_05_075	Cephalexin 30 µg	5000	Disc
86	09_7_05_076	Cephalothin 30 µg	5000	Disc
87	09_7_05_078	Ciprofloxacin 2 µg	12000	Disc
88	09_7_05_079	Clindamycin 2 µg	12000	Disc
89	09_7_05_086	Nalidixic Acid 30 µg	5000	Disc
90	09_7_05_090	Nitrofurantoin 100 µg	12000	Disc
91	09_7_05_092	Norfloxacin 10 µg	12000	Disc
92	09_7_05_098	Imipenem 10 µg	12000	Disc
93	09_7_05_102	Vancomycin 30 µg	12000	Disc
94	09_7_05_104	Amikacin 30 µg	12000	Disc
95	09_7_05_127	Sensi Disk-Piperacillin/Tazobactam PIP-100/TAZ 10	12000	Disc
96	09_7_05_129	Ertapenem 10 µg	5000	Disc
97	09_7_05_131	LEVOFLOXACIN 5 µg	12000	Disc
98	09_7_05_133	E test for Vancomycin	100	Test
99	09_7_05_134	E test for colestin 10 µg	100	Test
100	09_7_05_146	TEICOPLANIN 30 µg	12000	Disc
101	09_7_05_147	E Test Ampicillin 10 µg	100	Test
102	09_7_05_148	E Test penicillin 10 µg	100	Test

Item No	Stock No	Stock Name	Quantity	Unit
103	09_7_05_149	Fosfomycin 200 µg	5000	Disc
104	09_7_05_150	Meropenem 10 µg	12000	Disc
105	09_7_05_151	Cefipime 30 µg	12000	Disc
106	09_7_05_152	Tobramycin10 µg	12000	Disc
107	09_7_05_153	Cefazolin30 µg	12000	Disc
108	09_7_06_004	Anaerobic Atmosphere gas generating system without catalyst- disposable aluminum foil packet.	4	Kit
109	09_7_06_024	Rotavirus Slides Kit Rapid Latex Agglutination Slide test for the detection of Rotavirus Particles in human faecal specimens.	50	Test
110	09_7_06_038	C.DIFFICILE TOXIN A.TEST Rapid test for the detection of Clostridium difficile toxin A from faecal samples.	700	Test
111	09_7_06_039	H. Pylori test in stool specimen	20000	Test
112	17_1_01_116	Tube, Cryo, Polypropylene	200	Tube

شروط العطاء

شروط خاصة

- 1-Number of shipments will be decided by purchasing committee according to the respective minimum guaranteed shelf life upon delivery/dispatch to be provided in the original offers to establish delivery schedule accordingly .The DRMS with this respect reserves the right to reject any item not in compliance with this term and impose the correspondent fines.
- 2-Dispatched/Delivered good must show Description of goods , expiry date must be clearly indicated on all package and relative documents ,Batch No., Storage conditions, stamped "Sold to RMS" ,and any other necessary information on the inner and outer packs. Where manufacturing date is not applicable then it should be provided on relative documents.
- 3- goods must be dispatched/delivered under the same storage conditions that comply with their nature.
- 4-All packages to be stamped or labelled with the following "Sold to RMS" Tender P37-2024-C ".
- 5-Products derived or containing materials of human origin should be supplied with a certificate and/or official document from the manufacturer stating that the products are devoid of blood borne infectious agents :HbsAg, HIV, HCV, ect. Items belonging to this category to be specified in the original offer.
- 6- For offers submitted in Jordanian dinars payment will be either by wire transfer or by cheque to be paid after reciving DOCUMENTS FROM MAIN MEDICAL STORES ,any other way of payment will not be accepted and the offers will be rejected by the purchase committee.
- 7- Goods should be previously evaluated and approved in DRMS or purchased by "central procurement branch " or by " directorate of defence procurement ".

8-Bidders must submit their reservation /queries regarding tender specifications and/or special term within the first half of the tender closing period starting from the tender announcement date . Reservation /queries submitted after the end of this period shall be rejected.

9- Custom clearance of goods shall be the responsibility of the Jordanian Armed Forces (JAF), however, suppliers shall bear all costs incurred by handling charges and any demurrage charges or extra expenses incurred by the port's corporation or QAIA (including expenses caused by delay in presenting the necessary shipment documents for either clearing or transporting the goods to the required location mentioned in the final order, delivery note issuing charges, unloading charges, local shipping charges, etc.) .The supplier is also responsible for providing of all relevant shipping documents ,together with the delivery order(s).

10-All goods should retain at least the MSL mentioned per each item. Any item not complying with this term upon receipt should be accompanied with a confirmation that you accept to replace any remaining unused quantities at your expenses after the expiry date. Said confirmation is subject to the approval of the director of the Royal Medical Services and will incur a fine, which will be decided later by DRMS according to the loss that this discrepancy with terms of the tender has caused.

11-Pricing must include services of sale ,shipment,transporation,delivery from port to site or Main Medical Stores.

12-All items must have FDA, TUV,or CE approval.

13-For items(39-66) the supplier must provide to the DRMS controls (ATCC) suitable with Agars as free of charge for one time
Qty:3 type of ATCC for each Type of Agar.

14-For items(39-66) the supplier must provide to the DRMS 12 New Dispenser Top Bottle as free of charge for one time.

15-For items (70-107) the supplier must provide to the DRMS 12 New Dispenser for Antibiotic Disc(Dispenser for 8 coloum)