

DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعه التداخليه

TENDER NO P100-2022-I

Item NO	STOCK NO	REQ QTY	UNIT	DESCRIPTION
1	20_10_0102	144	EACH	DUAL LUMEN CATHETER SIZE (8-10) FR, (65-90) CM , VOLUME (0.8-1.8/0.6-1.8) ML LUMEN SIZE (OD/ID) 2.3/1.0- 4.0/1.6 COMPLETE INSERTION KIT AND TUNNELED STYLE CONVENIENT PERCUTANUES INTRODUCER KITS INCLUDE INCHIATED KIT, SHEATH, INTRODUCER WITH VESSEL DILATOR , TUNNELER , DIPOSABLE SABIE SYRINGE , EXTRA THIN-WALL NEEDLE, J GUIDE WIRE
2	20_10_0103	96	EACH	DUAL LUMEN CATHETER SIZE (10-12) FR, (65-90) CM , VOLUME (0.8-1.8/0.6-1.8) ML LUMEN SIZE (OD/ID) 2.3/1.0- 4.0/1.6 COMPLETE INSERTION KIT AND TUNNELED STYLE CONVENIENT PERCUTANUES INTRODUCER KITS INCLUDE INCHIATED KIT, SHEATH, INTRODUCER WITH VESSEL DILATOR , TUNNELER , DIPOSABLE SABIE SYRINGE , EXTRA THIN-WALL NEEDLE, J GUIDE WIRE
3	20_10_031	1728	EACH	Cuffed long term dual lumen hemodialysis catheter,complete set with valved pellable introducer,dilators,kink resistance,(15-25) cm tip to cuff length, (9-16)FR
4	20_10_0312	192	EACH	Cuffed long term dual lumen hemodialysis catheter,complete set with valved pellable introducered,with dilator,kink resistance(26-52) cm tip to cuff length, (9-16)FR
<b>CARDIOVASCULAR CATHETERIZATION DISPOSABLES</b>				
5	20_10_0313	24	EACH	Cuffed long term dual lumen hemodialysis catheter,complete set with valved pellable introducered,with dilators,kink resistance,slipt tip,(18-29) cm tip to cuff length, (9-16)FR

## DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعه التداخليه

TENDER NO P100-2022-I

Item NO	STOCK NO	REQ QTY	UNIT	DESCRIPTION
6	20_10_1001	984	EACH	Percutaneous Nephrostomy Sets Including: Pigtail Drainage Catheter With Hydrophilic coating and Locking Mechanism, 18 G Nephrostomy Needle, Serial Dilator, Exchange Guide Wire, Chiba Needle, Connecting tube and metallic introducer over 0.035 wire, Catheter To Bag Connection, Sterile. SIZE (8-12) FR
7	20_10_1003	240	EACH	Pediatric Percutaneous Nephrostomy Sets Including: Pigtail Drainage Catheter With hydrophylic coating and Locking Mechanism, 18 G Nephrostomy Needle, Serial Dilator, Exchange Guide Wire, Chiba Needle, Connecting tube and metallic introducer over 0.035 wire, Catheter To Bag Connection, Sterile. Size Small, (6Fr).
<b>CARDIOVASCULAR CATHETERIZATION DISPOSABLES</b>				
8	20_10_1004	96	EACH	P.C.N.L tract balloon dilation set. with stiff 30fr sheath , balloon 10mm , 8-15 cm
9	20_10_1008	48	EACH	guide wire, super stiff, flexible and floppy tip 0.035'', 180 cm length
10	20_10_10081	192	EACH	guide wire, super stiff, flexible and floppy tip 0.035'', 260-300 cm length
11	20_10_1100	960	EACH	Micro puncture set To include 21G needle (0.014-0.018") introducer wire sheath dilates 3-5 FR. Flexible curved tip

## DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعة التداخليه

TENDER NO P100-2022-I

Item No	Stock No	QTY	DESCRIPTION
<b>CARDIOVASCULAR CATHETERIZATION DISPOSABLES</b>			
			Micro puncture set
12	20_10_1101	240 EACH	Micro puncture percutaneous access set facilitate placement of 0.0035" guide wire for non vascular procedures, (4-6 FR). with curved tip .018" guide wire
			CATHETER PIGTAIL OPEN END WITH 12 SIDE HOLES ONE TO ONE TORQUE, BRAIDED
13	20_10_124	720 EACH	5F Size length (100-110) cm
			Catheter, Angiographic (Polyethelene) Renal.
14	20_10_1361	360 EACH	Size 5.0 FG To Permit Guide Wire Size .(0.038"), Length (60-80cm), Fitting End M, Side Holes 0
15	20_10_1362	120 EACH	Size 5.0 FG To Permit Guide Wire Size .(0.038"), Length (80-100cm), Fitting End M, Side Holes 0
			VERTEBRAL CURVE CATHETER RADIO-OPAQUE TIP
16	20_10_1472	864 EACH	size 5.0 FR length 80-100cm accepct 0.038" G.WIRE

مستهلكات قسطرة الاشعه التداخليه

TENDER NO P100-2022-I

Item NO	STOCK NO	REQ QTY	UNIT	DESCRIPTION
17	20_10_179	156	EACH	Introducer sheath, 4 Fr, kink resistance, hemostatic valve, with dilator, angled guide wire, length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle
18	20_10_181	2520	EACH	Introducer sheath, 5 Fr, kink resistance, hemostatic valve, with dilator, angled guide wire, length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle <b>5F ACCEPT 0.035" WIRE</b>
19	20_10_1811	2400	EACH	Introducer sheath, 6 Fr, kink resistance, hemostatic valve, with dilator, angled guide wire, length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle
20	20_10_1822	240	EACH	Introducer sheath, 7 Fr, kink resistance, hemostatic valve, with dilator, angled guide wire, length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle
21	20_10_1841	12	EACH	Introducer sheath, 8 Fr, kink resistance, hemostatic valve, with dilator, angled guide wire, length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle
22	20_10_1882	12	EACH	Introducer sheath, 9 Fr, kink resistance, hemostatic valve, with dilator, angled guide wire, length (10-15cm) compatible with 0.035" guide wire, 3way stop cock, seldinger beveled needle
<b>CARDIOVASCULAR CATHETERIZATION DISPOSABLES</b>				
23	20_10_191	2400	EACH	Connection Tube For Drainage Catheter To Bag, Sterile. 20-30cm Long With Stopcock male luer lock fitting and plastic female luer lock

## DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعه التداخليه

TENDER NO P100-2022-I

Item NO	STOCK NO	REQ QTY	UNIT	DESCRIPTION
				Pressure injector to catheter connection tube, metal male luer-lock fitting and metal female luer-lock, accept pressure 1200 PSI, not less than 1.7 mm, (80-150) cm.
24	20_10_1921	1200	EACH	
<b>CARDIOVASCULAR CATHETERIZATION DISPOSABLES</b>				
				6F CROSS OVER DILATOR AND SHEATH SET (40-65) cm
25	20_10_195	480	EACH	
				LONG DILATOR AND SHEATH, WITH HEMOSTATASIS VALVE Radio- Opaque Tip ( Tip Marker )
26	20_10_200	20	EACH	(10-12) FR Sheath&dilator (35-50) cm
				( GUIDE WIRE ) HYDROPHILIC POLYMER -COATED WIRE
27	20_10_224	1200	EACH	0.035" Size 180 length straight
28	20_10_225	120	EACH	0.035" Size 260 length straight
				Hydrophilic wire Angled tip ,45-90 stiff, 180-200cm, with torque
29	20_10_2281	12	EACH	
				Hydrophilic wire Angled stiff care, 260 cm all wire hydrophilic with torque
30	20_10_2283	1200	EACH	

## DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعه التداخليه

TENDER NO P100-2022-I

Item NO	STOCK NO	REQ QTY	UNIT	DESCRIPTION
				STIFF HYDROPHILIC COATED GIUDE WIRE
31	20_10_2284	1200	EACH	0.035" 260cm length straight tip.
				Biliary VTC System With Locking Pigtail Kit, Radioopaque Marker at Proximal Hole, Sterile.
32	20_10_803	120	EACH	Size 10-11 Fr, Length 30-50cm
33	20_10_8031	360	EACH	Size 8-9 F, Length 30-50cm
34	20_10_804	48	EACH	Size 12-13 Fr, Length 30-50cm
				Catheter, Drainage All Purpose Set With Stiffening Cannula Trocar needle Stylet With Slippery Coat, Locking Mechanism & Pigtail, Sterile
35	20_10_812	36	EACH	Size 8 FG, trocar stylet with puncturing needle, hydrophilic coating, radio-opaque marker at drainage loop, self locking mechanism.
36	20_10_813	702	EACH	Size 10 FG, trocar stylet with puncturing needle, hydrophilic coating, radio-opaque marker at drainage loop, self locking mechanism.
37	20_10_814	450	EACH	Size 12 FG, trocar stylet with puncturing needle, hydrophilic coating, radio-opaque marker at drainage loop, self locking mechanism.
38	20_10_815	72	EACH	Size 14 FG, trocar stylet with puncturing needle, hydrophilic coating, radio-opaque marker at drainage loop, self locking mechanism.

## DIRECTORATE ROYAL MEDICAL SERVICES

مستهلكات قسطرة الاشعه التداخليه

TENDER NO P100-2022-I

Item NO	STOCK NO	REQ QTY	UNIT	DESCRIPTION
<b>CORONARY ANGIOGRAPHY CATHETERS</b>				
39	20_10_863	600	EACH	Manipulation catheter,5-6Fr, radio-opaque tip, 40-65cm length,adapt 0.035" guide wire
				Probe Ultra Sound Transducer Cover, Sterile
40	20_10_867	7680	EACH	.Size 14x147 CM
				Needle, Biopsy, Sterile,Bone (Ackenmann)
41	20_10_886	72	EACH	Gauge (12-15), Bevel Short, Length 17.5cm

## الشروط الخاصة التسلسل

- 1 – All goods are to be freshly prepared on dispatch/delivered & should have at least 2/3 its shelf life upon receipt . Any item carrying less than 2/3 of its shelf life upon receipt should be accompanied with a confirmation that you accept to replace any remaining unused quantities at your expenses after the expiry date. Said confirmation is subject to the approval of the director of the Royal Medical Services and will incur a fine ,which will be decided later by DRMS according to the loss that this discrepancy with terms of the tender has caused.
- 2 – Description of goods ,expiry date ,lot number as well as manufacturing date must be mentioned clearly on the inner & outer packs.
- 3 – RMS has the right to exchange any size of the awarded items with any other size such as exchange should be effected within(24 hours) after a written request from RMS
- 4 – All goods should be FDA or CE approved
- 5 – Goods should be delivered under the same storage conditions that comply with their nature,storage conditions must be mentioned clearly on all documents.
- 6 – RMS has the right to increase the awarded items by 35% with the same prices and terms.and conditions.
- 7 – Pricing must include services of sale, shipment, transportation, and delivery From. port to main medical store.
- 8 – Delivery: In two equal consignments (8-9) months,allowing partial delivery,first consignment to be within one month from final order



بسم الله الرحمن الرحيم

القيادة العامة للقوات المسلحة الاردنية  
مديرية الخدمات الطبية الملكية  
التزويد

صفحة رقم 2 - 3

الشروط الخاصة للعطاء رقم P100-2022-I مستهلكات قسطرة الاشعة التداخليه

الشروط الخاصة التسلسل

- 9 - Quoted items should be previously approved by DRMS.
- 10 - Samples of the items must be submitted along with the offers, showing the same serial No./item No. as per our tender documents specifications.
- 11 - Custom clearance of goods shall be the responsibility of the Jordanian armed forces(JAF)however, suppliers shall bear all costs incurred by handling charges and any demurrage charges or extra expenses incurred by the ports corporation (including expenses caused by delay in presenting the necessary documents for either clearing or transporting the goods to the required location mentioned in the final order ,delivery note issuing charges, unloading charges, local shipping charges etc).the supplier is also responsible for providing of all relevant shipping documents ,together with the delivery order(s).
- 12 - After arrival to jordan DRMS is not responsible for any handling charges for goods(like charges for issuing delivery order for incoming shipment unloading charges,local shipping agents charges
- 13 - All parcels,packages&any relative documents to me marked:  
D.R.M.S Tender NO P100-2022-I G.H.Q Jordan Armed Forces  
Amman-Jordan For Jordanian Armed Forces(EXCEPT for the goods that may be replaced with other sizes form the company)

بسم الله الرحمن الرحيم

القيادة العامة للقوات المسلحة الاردنية

مديرية الخدمات الطبية الملكية

التزويد

صفحة رقم 3 - 3

الشروط الخاصة للعطاء رقم P100-2022-1 مستهلكات قسطرة الاشعه التداخليه

الشروط الخاصة التسلسل

- |   |
|---|
| <p>14 – In case of any worldwide problem or recall of any awarded item. the company is obliged to replace any remaining quantities with equivalent or better materials otherwise DRMS has the right to buy these materials from another sources and impose you the differences of prices and any penalties according to the rules and regulations of DRMS</p> |
| <p>15 – If new generation appears after the final order, it must be exchanged with the old generation without affecting the prices within (4 weeks) from receiving the written request from KHMC Supply department</p>  |
| <p>16 – For offers submitted in Jordanian dinars payment will be either by wire transfer or by cheque to be paid after receiving goods; Any other way of payment will not be accepted and the offers will be rejected by the purchase committee.</p>  |