## DIRECTORATE ROYAL MEDICAL SERVICES

### Special Chemistry

TENDER NO P37-2024-A-SC

Le	The 18(6 x 241/0):	हर्ने हर्ने	<b>ा</b> र्वहर्ते:	के जिल्ला होते. एक एक विकास के किए एक एक किए एक
09_	1 All	Departments	The second secon	
<u></u>				09_1_01 Miscellaneous
	09_1_	_01_232	<b>1</b> KG	Sodium Hydroxide (Pellets), (1kg./Bt.)
				09_1_02 Column Chromatography Reagent Kits
2	09_1_	02_005	160 TEST	HIAA Kit: For Quantitative Determination Of 5-HIAA In Urine. Consisting of Columns, standards, and reagents.
3	09_1_	02_0051	4 KIT	Assayed urine control level 1 for 5- HIAA Test
4	09_1_	02_0052	4KIT	Assayed urine control level II for 5- HIAA Test
5		02_010	40 TEST	Porphyrins Kit: For Quantitative Determination Of Porphyrins In Urin By Column Chromatography. Consists Of: Columns, Standards, Reagents & Controls. (20 Assays/Kit)
6	09_1_	02_016	960 TEST	Metanephrine in Urine

## DIRECTORATE ROYAL MEDICAL SERVICES

#### Special Chemistry

अव्यवस्या अस्य

TENDER NO P37-2024-A-SC

हाइ(६) जास

Em K	हर्मालुटार १८० । <u>१</u>	अग्रेकद्रम	en e
2	Biochemistry	Department	
			09_2_081 Manual Testing Kit, Small Configuration, for measurement on non automated Spectrophotometer.
7	09_2_081_01	400 TEST	Oxalate Test in 24 Hr Urine collection
8	09_2_081_011	<b>4</b> KIT	Oxalate in UrineControl materials
9	09_2_081_22	500 TEST	Copper Kit, Colourimetric End-Point Method For Determination of Copper in Serum.
10	09_2_081_24	600 TEST	Copper Kit, Colourimetric End-Point Method For Determination of Copper in Urine.
11	09_2_081_28	700 TEST	G-6-PDH Kit.
12	09_2_081_281	9 <sub>KIT</sub>	G-6-PDH Control normal Kit.
13	09_2_081_30	100 TEST	Galactose Kit, For Photometric Method
14	09_2_081_44	200 TEST	Renal Stones Analysis Kit.
15	09_2_081_46	1000 TEST	TIBC Kit, Reagents For Determination of Total Iron Binding Capacity in Serum, Colourimetric Method (100 Test/Kit)
16	09_2_081_74	<b>1600</b> TEST	Zinc in Serum
17	09_2_081_741	6KIT	Control normal for serum Zinc,copper,Mg
18	09_2_081_742	6KIT	Control upnormal for serum Zinc,copper,Mg
L			
			09_2_13 Miscellaneous
19	09_2_13_050	<b>120</b> KG	Glucose D(+) Monohydrate, (1kg/Bt.).

## بسم الله الرحمن الرحيم

# 

القيادة العامة للقوات المسلحة الاردنية مديرية الخدمات الطبية الملكيـــة التزويــــد

الشروط الخاصة للعطاء رقم Special Chemistry P37-2024-A-SC

#### الشروط الخاصة التسلسل

- Storage conditions as well as Description of Goods, Batch No., and Expiry Date must be clearly indicated on all packages and relative documents.
- 2 Goods must be dispatched/delivered under the same storage conditions that comply with their nature.
- 3 All packages to be stamped or labelled with the following Sold to DRMS Tender P37-2024-A-SC
- 4 The quality of items should be previously accepted and approved according to DRMS established regulation.
- 5 Products derived or containing materials of human origin should be clearly indicated in the original offer and should be supplied with a certificate and/or official document from the manufacturer stating that the products are devoid of blood borne infectious agents: HbsAg, HIV, HCV, etc.
- All items should beDelivered to princess Eman Research Center/king
   Hussein Medical city
- 7 ALL Itemes must have FDA, TUV, OR CE Approval
- For offers submitted in Jordanian dinars payment will be either by wire transfer or by cheque to be paid after receving goods, Any other way of payment will not be accepted and the offers will be rejected by the purchase committee.

بسم الله الرحمن الرحيم

مِفْحة رقم 2 - 2 أَدْ الْمُعْمَاتُ الْمُعْمَاتُ الْمُعْمَاتُ الْمُعْمَاتُ الْمُعْمَاتُ الْمُعْمَاتُ الْمُعْمَاتُ

القيادة العامة للقوات المسلحة الاردنية مديرية الخدمات الطبية الملكيسة أنتزويسسسسد

الشروط الخاصة للعطاء رقم Special Chemistry P37-2024-A-SC

#### الشروط الخاصة التسلسل

- 9 All items should retain at least the MSL .Any items not complying with this term upon receipt should be accompanied with confirmation to replace any remaining unused quantities after the expiry date .Said confirmation is subject to the approval of the director of Royal Medical Services and will incur afine, which will be decided later by DRMS according to the loss that this discrepancy with term of the tender has caused.
- Jordanian Armed Forces(JAF), however, suppliers shall bear all costs incurred by handling charges and any demurrage charges or extra expenses incurred by the ports corporation or QAIA (including expenses caused by delay in presenting the necessary shipment documents for either clearing or transporting the goods to the required location mentioned in the final order, delivery note issuing charges, unloading charges, local shipping charges etc.) The supplier is also responsible for providing of all relevant shipping documents, together with the delivery order(s)
  - 11 Pricing must include services of sale, shipment, transportation, delivery from port to site or Main Medical Stores.
  - Number of shipments will be decided according to the respective minimum guaranteed shelf life upon delivery/dispatch to be provided in the original offers to establish delivery schedule accordingly. The DRMS with this respect reserves the right to reject any item not in compliance with this term and impose the correspondent fines.